

# MATERIAL SAFETY DATA SHEET

## SAFEWAY KA RUNWAY DE-ICER

Substance key: 000000161725  
Version : 1 - 2 / USA

Revision Date: 02/03/2006  
Date of printing :03/17/2006

### Section 01 - Product Information

**Identification of the company:**

Clariant Corporation  
4000 Monroe Road  
Charlotte, NC, 28205  
Telephone No.: +1 704-331-7000

**Information of the substance/preparation:**

Product Safety 1-704-331-7710

**Emergency tel. number:** +1 800-424-9300 CHEMTREC

**Trade name:**

**SAFEWAY KA RUNWAY DE-ICER**

**Primary product use:**

Deicing of roads and surfaces

**Chemical family:**

Aqueous solution of Potassium acetate with corrosion inhibitors

### Section 02 - Composition information on hazardous ingredients

**Hazardous ingredients:**

None under 29 CFR 1910.1200  
None under Title III of SARA

### Section 03 - Hazards identification

**Expected Route of entry:**

<b>Inhalation:</b>	no
<b>Skin contact:</b>	no
<b>Eye contact:</b>	no
<b>Ingestion:</b>	no
<b>Skin absorption:</b>	no

**Health effects of exposure:**

Based on animal studies of a product or products of similar composition, this product is expected to be a non-irritant to eyes and skin.

**Known effects on other illnesses:**

No known effects on other illnesses for this product.

**Listed carcinogen:**

IARC: No  
NTP: No  
OSHA: No  
Other: No

**HMIS:**

Health: 1

Flammability: 0

Reactivity: 0

Personal protection: D

### Section 04 - First aid measures

# MATERIAL SAFETY DATA SHEET

## SAFEWAY KA RUNWAY DE-ICER

Substance key: 000000161725  
Version : 1 - 2 / USA

Revision Date: 02/03/2006  
Date of printing :03/17/2006

**After inhalation:**

If irritation of nose or throat develops from exposure to fumes, move away from source of exposure and into fresh air. If irritation develops, get medical attention.

**After contact with skin:**

Wash thoroughly with soap and water for 15 minutes. If skin irritation occurs, seek medical attention.

**After contact with eyes:**

Immediately flush the eyes with large amounts of water, occasionally lifting the upper and lower eyelids, for at least 15 minutes. Seek medical attention immediately.

**After ingestion:**

If ingested, seek medical assistance immediately.

**Advice to doctor / Treatment:**

None known.

### Section 05 - Fire fighting measures

<b>Flashpoint:</b>	> 212 °F Method: DIN 51376 (open cup)
<b>Lower explosion limit:</b>	not determined
<b>Upper explosion limit:</b>	not determined
<b>Self ignition:</b>	not self-igniting
<b>Ignition temperature:</b>	> 1,022 °F Method: DIN 51794

**Hazardous combustion products:**

In case of fires, hazardous combustion gases are formed: Carbon monoxide (CO)

**Extinguishing media:** Product itself is non-combustible; Fire extinguishing method of surrounding areas must be discussed.

**Special fire fighting procedure:**

Product is non-combustible. Wear breathing apparatus (MSHA/NIOSH-approved, pressure demand, self contained or equivalent) and full protective clothing. Use water spray to cool fire-exposed containers.

### Section 06 - Accidental release measures

**Steps to be taken in case of spill or leak:**

Wearing appropriate personal protective equipment, contain spill, collect onto inert absorbent, and place in a suitable container.

### Section 07 - Handling and storage

**Advice on safe handling:**

Do not use zinc containers.

# MATERIAL SAFETY DATA SHEET

## SAFEWAY KA RUNWAY DE-ICER

Substance key: 000000161725  
Version : 1 - 2 / USA

Revision Date: 02/03/2006  
Date of printing :03/17/2006

**Further info on storage conditions:**

Store in original container.  
Keep containers closed.

**Section 08 - Exposure controls / personal protection**

**Respiratory protection:** If airborne concentrations pose a health hazard, become irritating or exceed recommended limits, use a NIOSH approved respirator in accordance with OSHA respiratory protection requirements under 29 CFR 1910.134

**Hand protection:** Butyl Rubber, PVC Or Neoprene.

**Eye protection:** Safety glasses or chemical splash goggles.

**Other protective equipment:** Protective clothing to minimize skin contact should be worn. Chemically resistant safety shoes. Wash contaminated clothing with soap and water and dry before reuse. Safety showers and eyewash stations should be provided in all areas where this material is handled.

**IDLH:**

Not Determined

**Section 09 - Physical and chemical properties**

**Form:** Liquid

**Color:** blue

**Odor:** almost odourless

**pH:** 9 - 11.5 (20 °C)  
Method: ASTM D 1287  
Determined in the undiluted form

**Solubility in water:** (20 °C)  
miscible in all proportions

**Soluble in ... :** fat  
not determined

**Density:** approx. 1.28 g/cm<sup>3</sup> (20 °C)  
Method: DIN 51757

**Freezing point :** approx. -31 °F  
Method: ASTM D 1177

**Boiling temperature :** approx. 240 °F ( 1,013 mbar)  
Method: ASTM D 1120

**Vapor pressure:** approx. 15 Torr (20 °C)

**Bulk density:** Not applicable

**Relative vapor density:** not determined

# MATERIAL SAFETY DATA SHEET

## SAFEWAY KA RUNWAY DE-ICER

Substance key: 000000161725  
Version : 1 - 2 / USA

Revision Date: 02/03/2006  
Date of printing :03/17/2006

<b>Partitioning coef. octanol/water:</b>	Not applicable
<b>Viscosity / (dynamic):</b>	4 - 6 mPa.s (20 °C) Method: DIN 51562
<b>Viscosity / (kinematic):</b>	not determined

### Section 10 - Stability and reactivity

<b>Thermal decomposition:</b>	No decomposition if used as prescribed., Stable up to boiling point.
-------------------------------	----------------------------------------------------------------------

### Section 11 - Toxicological information

<b>Product information:</b>	
<b>Acute oral toxicity:</b>	LD50 > 2,000 mg/kg (rat) Source: RTECS Data relate to main components
<b>Acute inhalation toxicity:</b>	not determined
<b>Acute dermal toxicity:</b>	not determined
<b>Skin irritation:</b>	Non-irritating (rabbit)
<b>Eye irritation:</b>	Non-irritating (rabbit)

### Section 12 - Ecological information

<b>Product information:</b>	
<b>Biodegradation:</b>	> 90 % Method: DIN 38412 T.24 Source: Analogy
<b>Fish toxicity:</b>	LC50 > 1,000 mg/l (96 h, zebra fish) Method: OECD 203 Source: Analogy
<b>Daphnia toxicity:</b>	EC50 > 1,000 mg/l (Daphnia magna) Method: DIN 38412 T.11 Source: Analogy
<b>Bacteria toxicity:</b>	EC0 > 12.5 g/l Method: OECD 209 Source: Analogy
<b>Chemical oxygen demand (COD):</b>	330 mg/g Source: Analogy
<b>Biological oxygen demand (BOD):</b>	300 mg/g Source: Analogy

# MATERIAL SAFETY DATA SHEET

## SAFEWAY KA RUNWAY DE-ICER

Substance key: 000000161725  
Version : 1 - 2 / USA

Revision Date: 02/03/2006  
Date of printing :03/17/2006

**Remarks:**

May be eliminated in purification plants

### Section 13 - Disposal considerations

**Waste disposal information:**

Recommended disposal is by incineration in approved facilities.

**RCRA hazardous waste:**

No -- Not as sold.

RCRA number: NONE

### Section 14 - Transport information

DOT	not restricted
IATA	not restricted
IMDG	not restricted

### Section 15 - Regulatory information

**TSCA Status:**

All components of this product are listed on the TSCA Inventory.

**SARA (section 311/312):**

Reactive hazard:	no
Pressure hazard:	no
Fire hazard:	no
Immediate/acute:	no
Delayed/chronic:	no

**SARA 313 information:**

This product does not contain any toxic chemical listed under Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986.

**Clean Water Act:**

Contains no known priority pollutants at concentrations greater than 0.1%.

**Volatile organic compounds VOC:**

Remarks: Not Available

**FDA:**

This product is not registered with the FDA.

**MATERIAL SAFETY DATA SHEET**  
**SAFEWAY KA RUNWAY DE-ICER**

Page 6

---

Substance key: 000000161725  
Version : 1 - 2 / USA

Revision Date: 02/03/2006  
Date of printing :03/17/2006

---

**Section 16 - Other information****Other precautions:**

None Known

**Label information:**

ATTENTION!

UPON EVALUATION, IT HAS BEEN DETERMINED THAT THIS PRODUCT IS NOT SUBJECT TO THE LABELING REQUIREMENTS OF OSHA REGULATION 29CFR 1910.1200.

Good work practices dictate that care be taken to avoid skin and eye contact and ingestion. Washing after handling is advised.

---

This information is supplied under the OSHA Hazard Communication Standard, 29 CFR 1910.1200, and is offered in good faith based on data available to us that we believe to be true and accurate. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable to the material. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate for that use. No warranty, express or implied, is made regarding the accuracy of this data, the hazards connected with the use of the material, or the results to be obtained from the use thereof. We assume no responsibility for damage or injury from the use of the product described herein. Data provided here are typical and not intended for use as product specifications. (R) and TM indicate trademarks of Clariant AG, its business partners or suppliers.