

MATERIAL SAFETY DATA SHEET

SAFEWAY KA

Page 1

Substance key: 000000161725

Revision Date: 06/09/2015

Version : 4 - 0 / CDN

Date of printing :06/12/2015

WHMIS controlled: no

Section 01 - Product and company identification

Identification of the company:

Clariant (Canada) Inc.
2 Lone Oak Court
Toronto, Ontario M9C 5R9,

Information of the substance/preparation:

ESHA
Phone (514) 832 2559, Fax (704) 330 1505
Canada.PS@Clariant.com

Emergency tel. number: +1 800-424-9300 CHEMTREC, +1 (703) 527-3887 INTERNATIONAL

Trade name: SAFEWAY KA
Material number: 198176
Chemical family: Aqueous solution of Potassium acetate with corrosion inhibitors
Primary product use: Deicing of roads and surfaces

Section 02 - Hazards identification

Health effects of exposure:

Any available toxicological data is shown in Section 11. No other information was found in the public literature for any effects of exposure and no health evaluation is thus possible. Therefore, handle with care and avoid unnecessary exposures.

Listed carcinogen:

OSHA Specifically Regulated
Chemicals/Carcinogens: Not listed

Other: No

NTP - National Toxicology Program Report: Not listed

International Agency for Research on Cancer (IARC) - Overall Evaluations of Carcinogenicity to Humans.: Not listed

Section 03 - Composition/information on ingredients

Hazardous ingredients:

No hazardous ingredients

Section 04 - First aid measures

MATERIAL SAFETY DATA SHEET

SAFeway KA

Page 2

Substance key: 000000161725

Revision Date: 06/09/2015

Version : 4 - 0 / CDN

Date of printing :06/12/2015

After inhalation:

Move the victim to fresh air.
Give oxygen or artificial respiration if needed.
Get immediate medical advice/ attention.
Never give anything by mouth to an unconscious person.

After contact with skin:

Remove/Take off immediately all contaminated clothing.
After contact with skin, wash immediately with plenty of water.
If skin irritation occurs, seek medical advice/attention.

After contact with eyes:

Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical attention.

After ingestion:

If swallowed, DO NOT induce vomiting.
Get immediate medical advice/ attention.

Advice to doctor / Treatment:

None known.

Section 05 - Fire fighting measures

Flashpoint:	> 100 °C Method: DIN 51376 (open cup)
Lower explosion limit:	not tested.
Upper explosion limit:	not tested.
Self ignition:	The substance or mixture is not classified as self heating.
Ignition temperature:	> 550 °C Method: DIN 51794
Extinguishing media:	Not combustible. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Hazardous combustion products:	In case of fires, hazardous combustion gases are formed: Carbon monoxide (CO) Carbon dioxide (CO ₂) Burning produces noxious and toxic fumes.
Minimum ignition energy :	not tested.

Section 06 - Accidental release measures

Steps to be taken in case of spill or leak:

Information regarding Safe handling, see chapter 7.
For personal protection see section 8.
Information regarding Waste Disposal, see chapter 13.
Wear suitable protective equipment. Ensure adequate ventilation. Contain spill and pump into proper containers using compatible equipment. Smaller spills may be recovered using inert absorbent material (sand, sawdust) and collected into suitable containers. Wash spill area.
Do not allow the product to enter sewers or waterways.

MATERIAL SAFETY DATA SHEET

SAFWAY KA

Page 3

Substance key: 000000161725

Revision Date: 06/09/2015

Version : 4 - 0 / CDN

Date of printing :06/12/2015

Section 07 - Handling and storage

Advice on safe handling:

No special measures necessary if stored and handled as prescribed.

Further info on storage conditions:

Keep containers tightly closed in a cool, well-ventilated place.

Section 08 - Exposure controls / personal protection

Respiratory protection:	Wear an approved respirator if vapours or mists are generated when handling or processing this product. Use appropriate filters. Do not exceed filters limitations.
Hand protection:	Rubber or plastic gloves
Eye protection:	Safety glasses with side-shields
Other protective equipment:	Avoid skin contact. Wear suitable protective clothing.

Section 09 - Physical and chemical properties

Form:	Liquid
Color:	blue
Odor:	almost odourless
Odor limit:	not tested.
pH:	9 - 11.4 (20 °C) Method: ASTM D 1287 Determined in the undiluted form
Solubility in water:	(20 °C) completely miscible
Soluble in ... :	fat not tested.
Density:	approx. 1.28 g/cm ³ (20 °C) Method: DIN 51757
Freezing point :	-16 °C Method: ASTM D 1177 Measured on 1:1 dilution with water
Boiling point :	approx. 116 °C (1,013 mbar) Method: ASTM D 1120
Evaporation number:	not tested.
Vapor pressure:	approx. 20 mbar (20 °C)
Bulk density:	Not applicable
Relative vapor density:	not tested.
Partitioning coef. octanol/water:	Not applicable
Viscosity / (dynamic):	4 - 6 mPa.s (20 °C) Method: DIN 51562

MATERIAL SAFETY DATA SHEET

SAFWAY KA

Page 4

Substance key: 000000161725

Revision Date: 06/09/2015

Version : 4 - 0 / CDN

Date of printing :06/12/2015

Viscosity / (kinematic): not tested.

Section 10 - Stability and reactivity

Thermal decomposition: No decomposition if used as directed., Stable up to boiling point.
Chemical stability: Stable under normal conditions.
Hazardous Polymerization:
Incompatibility with (Conditions to avoid) : None known.
Hazardous decomposition products When handled and stored appropriately, no dangerous decomposition products are known

Section 11 - Toxicological information

Acute oral toxicity: LD50 > 2,000 mg/kg (Rat)
Information refers to the main component.
Acute inhalation toxicity: LC50 > 5.6 mg/l (Rat)
Method: OECD Test Guideline 403
Source: Analogy
Information refers to the main component.
Acute dermal toxicity: not tested.
Skin irritation: No skin irritation (Rabbit)
Method: OECD Test Guideline 404
Source: Analogy
Eye irritation: No eye irritation (rabbit eye)
Method: OECD Test Guideline 405
Source: Analogy
Sensitization: non-sensitizing
Source: Analogy
Information refers to the main component.

Section 12 - Ecological information

Product information:
Biodegradation: 99 % (8 d)
Readily biodegradable
Method: OECD Test Guideline 301E
Fish toxicity: EC50 > 1,000 mg/l (96 h, Danio rerio (zebra fish))
Method: DIN 38415-6
Daphnia toxicity: EC50 > 1,000 mg/l (48 h, Daphnia magna (Water flea))
Method: DIN 38412
Algae toxicity: EC50 (Growth rate) > 100 mg/l (72 h, Desmodesmus subspicatus (green algae))
Method: ISO 8692
Bacteria toxicity: EC50 > 1,000 mg/l (16 h, Pseudomonas putida)
Method: DIN 38412 T.8

MATERIAL SAFETY DATA SHEET

SAFWAY KA

Page 5

Substance key: 000000161725

Revision Date: 06/09/2015

Version : 4 - 0 / CDN

Date of printing :06/12/2015

Chemical oxygen demand (COD): 0.3 kg/kg
Method: DIN 38409-H-41

Biological oxygen demand (BOD): 0.15 kg/kg
Method: DIN 38409-H51

Remarks:

May be eliminated in purification plants

Section 13 - Disposal considerations

Waste disposal information:

Must be incinerated in a suitable incineration plant holding a permit delivered by the competent authorities.

Must be incinerated in a suitable incineration plant holding a permit delivered by the competent authorities.

Section 14 - Transport information

TDG not restricted

IATA not restricted

IMDG not restricted

Section 15 - Regulatory information

Registration status

DSL: yes

NDSL: no

All components of the product are listed on the DSL/Canada.

CEPA

Listed as toxic substance: Not listed

Listed as priority substance: Not listed

NPRI

Not listed

TSCA Status:

All components of this product are listed on the TSCA Inventory.

FDA:

This product is not registered with the FDA.

Section 16 - Other information

The information contained on this MSDS is to the best of our knowledge an accurate summary of the data available as of the date of preparation. Clariant (Canada) Inc. is not liable for the application or use of this information in situations beyond its control or outside the normal and expected use of its product. Clariant (Canada) Inc. assumes no responsibility for damage or injury from the use of the product described herein.